Printing date 05/08/2015 Reviewed on 05/07/2015

### 1 Identification

· Product identifier

· Trade name: Bism Sour

· Article number: 4738

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

**BLIND INDUSTRIES & SERVICES OF** 

MARYLAND CORP.,

3345 WASHINGTON BLVD., BALTIMORE, MD 21804 TELEPHONE: 410-737-2600

· Information department: Product safety department

· Emergency telephone number: INFOTRAC 800-535-5053

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS05 Corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS05 GHS06

- · Signal word Danger
- · Hazard statements

Harmful if swallowed or if inhaled.

Toxic in contact with skin.

Causes severe skin burns and eye damage.

(Contd. on page 2)

(Contd. of page 1)

### **Safety Data Sheet** acc. to OSHA HCS

Printing date 05/08/2015 Reviewed on 05/07/2015

Trade name: Bism Sour

#### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dusts or mists.

Wear protective gloves / protective clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Call a poison center/doctor if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Take off immediately all contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3Fire = 0

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Components:

16893-85-9 alkali fluorosilicates (Na)

Prop.%

# Safety Data Sheet

Printing date 05/08/2015 Reviewed on 05/07/2015

Trade name: Bism Sour

(Contd. of page 2)

#### 4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

USA

Printing date 05/08/2015 Reviewed on 05/07/2015

Trade name: Bism Sour

(Contd. of page 3)

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 16893-85-9 alkali fluorosilicates (Na)

PEL Long-term value: 2.5 mg/m<sup>3</sup>

as F

REL Long-term value: 2.5 mg/m<sup>3</sup>

as F

TLV Long-term value: 2.5 mg/m<sup>3</sup>

as F, BEI

### · Ingredients with biological limit values:

#### 16893-85-9 alkali fluorosilicates (Na)

BEI 2 mg/L

Medium: urine Time: prior to shift

Parameter: Fluoride (background, nonspecific)

3 mg/L Medium: urine Time: end of shift

Parameter: Fluoride (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 5)

Printing date 05/08/2015 Reviewed on 05/07/2015

Trade name: Bism Sour

(Contd. of page 4)

Store protective clothing separately. Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder
Color: White
Odor: Characteristic
Odour threshold: Not determined.

· pH-value at 20 °C (68 °F):

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.
Undetermined.

Not applicable.

· Flammability (solid, gaseous): Not determined.

(Contd. on page 6)

Printing date 05/08/2015 Reviewed on 05/07/2015

Trade name: Bism Sour

	(Contd. of page
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)
Relative density	Not determined.
Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Soluble.
· Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Other information	No further relevant information available.

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

(Contd. on page 7)

Printing date 05/08/2015 Reviewed on 05/07/2015

Trade name: Bism Sour

(Contd. of page 6)

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA UN2674
- · UN proper shipping name
- DOT Sodium fluorosilicate mixture

(Contd. on page 8)

Printing date 05/08/2015 Reviewed on 05/07/2015

Trade name: Bism Sour

Transport hazard class(es)  DOT  Class 6.1 Toxic substances Label 6.1  IMDG, IATA  Class 6.1 Toxic substances Label 6.1  Packing group DOT, IMDG, IATA  III  Environmental hazards: Marine pollutant: No  Special precautions for user Danger code (Kemler): EMS Number: F-A,S-A  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g		(Contd. of pag
Class Label 6.1 Toxic substances 6.1 IMDG, IATA  Class Label 6.1 Toxic substances 6.2 Toxic substances 6.3 Toxic substances 6.3 Toxic substances 6.3 Toxic substances 6.4 Toxic substances 6.5 Toxic substances 6.6 Toxic substances 6.7 Toxic s	IMDG, IATA	SODIUM FLUOROSILICATE mixture
Class Label 6.1  IMDG, IATA  Class Class Label 6.1  Class Cl	Transport hazard class(es)	
Class Label 6.1 Toxic substances 6.1  IMDG, IATA  Class 6.1 Toxic substances 6.1  Packing group DOT, IMDG, IATA  III  Environmental hazards: Marine pollutant: No  Special precautions for user Danger code (Kemler): EMS Number: F-A,S-A  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Not applicable.  Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 2000 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	DOT	
Label 6.1  IMDG, IATA  Class 6.1 Toxic substances 6.1  Packing group DOT, IMDG, IATA III  Environmental hazards: Marine pollutant: No  Special precautions for user Danger code (Kemler): 60 EMS Number: F-A,S-A  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	TOXIC	
IMDG, IATA  Class 6.1 Toxic substances 6.1  Packing group DOT, IMDG, IATA III  Environmental hazards: Marine pollutant: No  Special precautions for user Danger code (Kemler): 60 EMS Number: F-A,S-A  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g		
Class Label 6.1 Toxic substances 6.1  Packing group DOT, IMDG, IATA III  Environmental hazards: Marine pollutant: No  Special precautions for user Danger code (Kemler): EMS Number: F-A,S-A  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ) Excepted quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	Label	6.1
Packing group DOT, IMDG, IATA  Environmental hazards: Marine pollutant: No  Special precautions for user Danger code (Kemler): EMS Number: F-A,S-A  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	· IMDG, IATA	
Packing group DOT, IMDG, IATA  Environmental hazards: Marine pollutant: No  Special precautions for user Danger code (Kemler): EMS Number: F-A,S-A  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Kon cargo aircraft quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g		
Packing group DOT, IMDG, IATA  Environmental hazards: Marine pollutant: No  Special precautions for user Danger code (Kemler): EMS Number: F-A,S-A  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	Class	
Environmental hazards: Marine pollutant: No  Special precautions for user Danger code (Kemler): EMS Number: F-A,S-A  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	Label	6.1
Marine pollutant:  Special precautions for user Danger code (Kemler): EMS Number:  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information:  DOT Quantity limitations  On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	Packing group DOT, IMDG, IATA	III
Danger code (Kemler): EMS Number: F-A,S-A  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	· Environmental hazards: · Marine pollutant:	No
F-A,S-A  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	Special precautions for user	Warning: Toxic substances
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g		
MARPOL73/78 and the IBC Code  Transport/Additional information:  DOT  Quantity limitations  On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g		<u> </u>
Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g		
On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g		
On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	•	
On cargo aircraft only: 200 kg  IMDG Limited quantities (LQ) Excepted quantities (EQ)  S kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	· Quantity limitations	On passenger aircraft/rail: 100 kg
Excepted quantities (LQ)  Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	•	
Excepted quantities (EQ)  Code: E1  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 1000 g	·IMDG	
Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	Limited quantities (LQ)	
Maximum net quantity per outer packaging: 1000 g	Excepted quantities (EQ)	
	UN "Model Regulation":	

# Safety Data Sheet

Printing date 05/08/2015 Reviewed on 05/07/2015

Trade name: Bism Sour

(Contd. of page 8)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value established by ACGIH)

16893-85-9 alkali fluorosilicates (Na)

A4

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05 GHS06

#### · Signal word Danger

### · Hazard statements

Harmful if swallowed or if inhaled.

Toxic in contact with skin.

Causes severe skin burns and eye damage.

### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dusts or mists.

Wear protective gloves / protective clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

(Contd. on page 10)

Printing date 05/08/2015 Reviewed on 05/07/2015

Trade name: Bism Sour

(Contd. of page 9)

Use only outdoors or in a well-ventilated area.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Call a poison center/doctor if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Take off immediately all contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- Contact: Enviornmental Department
- Date of preparation / last revision 05/08/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Acute Tox. 4: Acute toxicity, Hazard Category 4

Acute Tox. 3: Acute toxicity, Hazard Category 3

Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C

USA