

FURELL® FIDIession	al J	unace Disimectant – C	inus – Finisheu Froduc
Version 1.0	S	DS Number: 400000005458	Revision Date: 08/09/2017
SECTION 1. IDENTIFICATION			
Product name	:	PURELL® Professional Surface I Citrus – Finished Product Use on	
Manufacturer or supplier's	s deta	ails	
Company name of supplier	:	GOJO Industries, Inc.	
Address	:	One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	:	1 (330) 255-6000	
Emergency telephone number	:	1-800-424-9300 CHEMTREC	
Recommended use of the	cher	nical and restrictions on use	
Recommended use	:	Disinfectants and general biocida	Iproducts

# **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Flammable liquids	: Category 3
<b>GHS label elements</b> Hazard pictograms	
Signal word	: Warning
Hazard statements	: H226 Flammable liquid and vapour.
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P242 Use only non-sparking tools.</li> <li>P243 Take precautionary measures against static discharge.</li> <li>Response:</li> <li>P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.</li> <li>Storage:</li> <li>P403 + P235 Store in a well-ventilated place. Keep cool.</li> <li>Disposal:</li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>



Version 1.0

SDS Number: 400000005458

Revision Date: 08/09/2017

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 20 - < 35
Isopropyl Alcohol	67-63-0	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately.
If inhaled	: If sensitivity occurs, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: If sensitivity occurs, wash with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Seek medical advice.</li> </ul>
If swallowed	: Rinse mouth with water. Obtain medical attention.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to



Version 1.0	SDS Number: 400000005458	Revision Date: 08/09/2017
	health.	
Specific extinguishing methods	: Use extinguishing measures th circumstances and the surroun Use water spray to cool unoper	ding environment.
Further information	: Fire residues and contaminated be disposed of in accordance v	0 0
Special protective equipment for firefighters	: In the event of fire, wear self-co Use personal protective equipn	<b>e</b> 11

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid contact with eyes.
Conditions for safe storage	:	No smoking. Take measures to prevent the build up of electrostatic charge. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL



Version 1.0	SDS Number:	SDS Number: 400000005458		Revision Date: 08/09/2017		
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1		
		STEL	1,000 ppm	ACGIH		
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH		
		STEL	400 ppm	ACGIH		
		TWA	400 ppm 980 mg/m3	NIOSH REL		
		ST	500 ppm 1,225 mg/m3	NIOSH REL		
		TWA	400 ppm 980 mg/m3	OSHA Z-1		

## **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI
Personal protective equ	uipment					
Respiratory protection		personal respi quired.	ratory protec	ctive equipr	nent normally	
Eye protection	: No special measures necessary provided product is used correctly.					
Skin and body protection	on : No special measures necessary provided product is used correctly.					
Protective measures	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.					
Hygiene measures	pra	ndle in accorda actice. roid contact wit	-	od industria	al hygiene and	safety

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	citrus



	Surface Disinfectant -	
Version 1.0	SDS Number: 400000005458	Revision Date: 08/09/2017
Odour Threshold	: No dataavailable	
рН	: 12.5 - 13.3, (25 °C)	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: 88 °C	
Flash point	: 30.5 °C Method: Pensky-Martens clos	sed cup
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Flammability (liquids)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Relative density	: No data available	
Density	: 0.956 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: not determined	
Thermal decomposition	: The substance or mixture is n	ot classified self-reactive.
Viscosity Viscosity, dynamic	: 2.6 mPa.s	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is n	ot classified as oxidizing.

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous	: Vapours may form explosive mixture with air.



Version 1.0	SDS Number: 400000005458	Revision Date: 08/09/2017
reactions		
Conditions to avoid	: Heat, flames and sparks.	
Incompatible materials	: Oxidizing agents	
Hazardous decomposition products	: No hazardous decomposition p	roducts are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

<b>Information on likely routes</b> Inhalation Skin contact Eye contact	of exposure	
Acute toxicity Not classified based on available information.		
Components: Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour	
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg	

#### Skin corrosion/irritation

Not classified based on available information.

## Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

#### **Isopropyl Alcohol:**

Species: Rabbit Result: No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

# Components:

Ethyl Alcohol: Species: Rabbit



Version 1.0

SDS Number: 40000005458

Revision Date: 08/09/2017

Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

## Isopropyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

## Components:

**Ethyl Alcohol:** Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

#### **Isopropyl Alcohol:**

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

#### Germ cell mutagenicity

Not classified based on available information.

<u>Components:</u>	
Ethyl Alcohol:	
Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Isopropyl Alcohol:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	<ul> <li>Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)</li> <li>Test species: Mouse</li> <li>Application Route: Intraperitoneal injection</li> <li>Result: negative</li> </ul>

# Carcinogenicity

Not classified based on available information.

#### Components:

**Isopropyl Alcohol:** Species: Rat



Version 1.0	SDS Number: 400000005458	Revision Date: 08/09/2017
Application Route: inhalation ( Exposure time: 104 weeks Method: OECD Test Guideline Result: negative		
IARC	No component of this product pres equal to 0.1% is identified as prob human carcinogen by IARC.	
OSHA	No component of this product pres equal to 0.1% is identified as a ca carcinogen by OSHA.	
NTP	No component of this product pres equal to 0.1% is identified as a kno by NTP.	
<b>Reproductive toxicity</b> Not classified based on availa	ble information.	
Components:		
Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation repr Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative	
<b>Isopropyl Alcohol:</b> Effects on fertility	: Test Type: Two-generation repr Species: Rat Application Route: Ingestion Result: negative	oduction toxicity study
Effects on foetal development	: Test Type: Embryo-foetal develo Species: Rat Application Route: Ingestion Result: negative	opment
STOT - single exposure		
Not classified based on availa	ble information.	

# Components:

**Isopropyl Alcohol:** 

Assessment: May cause drowsiness or dizziness.

#### STOT - repeated exposure

Not classified based on available information.

#### **Repeated dose toxicity**

## Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg



Version 1.0

SDS Number: 400000005458

Revision Date: 08/09/2017

Application Route: Ingestion Exposure time: 2 y

# **Isopropyl Alcohol:**

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413

#### Aspiration toxicity

Not classified based on available information.

# **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Components: Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h	
Toxicity to daphnia and other	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l	
aquatic invertebrates	Exposure time: 48 h	
Toxicity to algae	<ul> <li>EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201</li> </ul>	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d	
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h	
Isopropyl Alcohol:		
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h	
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h	
Persistence and degradability		
<u>Components:</u> Ethyl Alcohol:		

Elliyi Alconol.	
Biodegradability	: Result: Readilybiodegradable.
	Biodegradation: 84 %
	Exposure time: 20 d



Version 1.0	SDS Number: 400000005458	Revision Date: 08/09/2017
<b>Isopropyl Alcohol:</b> Biodegradability	: Result: rapidly degradable	
<b>Bioaccumulative potential</b>		
Components:		
Ethyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35	
<b>Isopropyl Alcohol:</b> Partition coefficient: n- octanol/water	: log Pow: 0.05	
Mobility in soil		
No data available		
Other adverse effects		
No data available		
Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Se	
Remarks	This product neither contains, r Class I or Class II ODS as defin Section 602 (40 CFR 82, Subp	ned by the U.S. Clean Air Act

#### SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues : Dispose of in accordance with local regulations.

### SECTION 14. TRANSPORT INFORMATION

International Regulation	
IATA-DGR	
UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355
IMDG-Code	
UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)



Version 1.0	SDS Number: 400000005458	Revision Date: 08/09/2017
Class Packing group Labels EmS Code	: 3 : III : 3 : F-E, S-D	
Marine pollutant National Regulations	: no	
<b>49 CFR</b> UN/ID/NA number	: UN 1987	
Proper shipping name	: Alcohols, n.o.s. (Ethanol, Propan-2-ol)	
Class	: 3	
Packing group	: 111	
ERG Code	: 127	
Marine pollutant	: no	

## SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Potassium Hydroxide	1310-58-3	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard			
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SARA 313		: The following components are subject to reporting levels established by SARA Title III, Section 313:		
	Isopropyl Alcohol	67-63-0	1.5465 %	

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are list	sted under the U.S. C	Clean Air Act Section 111 SOCMI
Intermediate or Final VOC's (40	CFR 60.489):	
		00.0400.0/

Ethyl Alcohol	64-17-5	29.6192 %
Isopropyl Alcohol	67-63-0	1.5465 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:



Version 1.0		OS Number: 400000005458	Revision I	Date: 08/09/2017
Potassium Hydroxide 1310-58-3 0.2957 % The following Hazardous Chemicals are listed under the U.S. CleanW ater Act, Section 311, Table 117.3:				
	tassium Hydroxide oes not contain any	1310-58-3 v toxic pollutants listed under	0.2957 % the U.S. Clean Wa	ater Act Section
US State Reg	ulations			
Massachuset	ts Right To Know			
	Ethyl Alcohol		64-17-5	20 - 30 %
	Isopropyl Alcoho	I	67-63-0	1 - 5 %
Pennsylvania	Right To Know			
	Water (Aqua)		7732-18-5	50 - 70 %
	Ethyl Alcohol		64-17-5	20 - 30 %
	Isopropyl Alcoho		67-63-0	1 - 5 %
	Potassium Hydro	DXIGE	1310-58-3	0.1 - 1 %
New Jersey R	ight To Know			
	Water (Aqua)		7732-18-5	50 - 70 %
	Ethyl Alcohol Isopropyl Alcoho	I	64-17-5 67-63-0	20 - 30 % 1 - 5 %
California Pro	op 65	This product does not conta of California to cause cance reproductive harm.		
The compone	ents of this produc	t are reported in the follow	vina inventories:	
TSCA	-	On TSCA Inventory		
AICS : On the inventory, or in compliance with the inventory				
DSL : All components of this product are on the Canadian DSL.				
ENCS : On the inventory, or in compliance with the inventory				
ISHL : On the inventory, or in compliance with the inventory				
KECI	: On the inventory, or in compliance with the inventory			
PICCS	: On the inventory, or in compliance with the inventory			
IECSC	:	On the inventory, or in comp	pliance with the inv	entory
NZIoC	:	On the inventory, or in comp	bliance with the inv	entory

# Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)




Version 1.0

SDS Number: 40000005458

Revision Date: 08/09/2017

# **SECTION 16. OTHER INFORMATION**

## **Further information**



HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

**Revision Date** 

: 08/09/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.