OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015 Reviewed on 10/12/2015

### 1 Identification

- · Product Identifier
- · Trade name: High Suds Laundry Detergent G40 w/Color Safe Bleach M-6548
- · Relevant identified uses of the substance or mixture and uses advised against:

For Powdered Laundry Systems

- · Product Description Powdered Laundry Detergent with Color Safe Bleach High Suds
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

Cosco Soap & Detergent 1930 Troutman Street Ridgewood, NY 11385 Phone: 718-383-4488

Fax: 718-349-2865

www.coscosoap-detergentco.com info@coscosoap-detergentco.com *Emergency telephone number:* 

Within USA and Canada: 1-800-424-9300 (CHEMTREC, 24 hours) Outside USA and Canada: +1-703-527-3887 (CHEMTREC, 24 hours)

## 2 Hazard(s) Identification

· Classification of the substance or mixture:



**GHS05** Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



STOT SE 3 H335 May cause respiratory irritation.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





GHS05 GHS07

- Signal word: Danger
- · Hazard-determining components of labeling:

Sodium percarbonate Disodium Metasilicate

Sodium Chloride

Poly(oxy-1,2-ethanediyl), alpha-(4- 4 – 8% nonylphenyl)-omega-hydroxy-, branched

Benzenesulfonic acid, C10-C13 alkyl derivs., sodium salts

· Hazard statements:

Causes severe skin burns and eye damage.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015 Reviewed on 10/12/2015

#### Trade name: High Suds Laundry Detergent G40 w/Color Safe Bleach M-6548

May cause respiratory irritation.

#### · Precautionary statements:

Do not breathe dusts or mists.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection / face protection.

Wash thoroughly after handling.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 1 Reactivity = 1

· HMIS-ratings (scale 0 - 4)



· Hazard(s) not otherwise classified (HNOC): None known

## 3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous Compor	nents:	
CAS: 68411-30-3	Benzenesulfonic acid, C10-C13 alkyl derivs., sodium salts	Proprietary%
	Eye Dam. 1, H318; <b>1</b> Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
CAS: 7647-14-5	Sodium Chloride	Proprietary%
RTECS: VZ4725000	◆ STOT SE 3, H335	
CAS: 497-19-8	Sodium carbonate	Proprietary%
	Sodium percarbonate	Proprietary%
	♦ Ox. Sol. 2, H272; ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; STOSE 3, H335	T
CAS: 6834-92-0	Disodium Metasilicate	Proprietary%
	♦ Skin Corr. 1B, H314; ♦ STOT SE 3, H335	
	·	(Contd. on page 3)

(Contd. on page 3)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015 Reviewed on 10/12/2015

#### Trade name: High Suds Laundry Detergent G40 w/Color Safe Bleach M-6548

CAS: 7758-29-4	CAS: 7758-29-4 Sodium Tripolyphosphate	
	♦ Acute Tox. 4, H332	
	Poly(oxy-1,2-ethanediyl), alpha- $(4-4-8\% nonylphenyl)$ -omega-	Proprietary%
RTECS: WZ4750000		
	♦ Eye Dam. 1, H318; ♦ STOT SE 3, H335	

### 4 First-Aid Measures

- Description of first aid measures:
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur after several hours; therefore medical observation is advised for at least 48 hours after the accident.

· After inhalation:

Remove to fresh air. Dust in throat and nasal passages should clear spontaneously. Seek medical attention for discomfort or if coughing or other symptoms do not subside.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Do not induce vomitting.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## 5 Fire-Fighting Measures

- · Extinguishing media:
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture:

If incinerated, product will release the following toxic fumes: Oxides of Carbon, Nitrogen (NOx) and Sodium, Silicon, Phosphorous and Hydrochloric acid gas.

Advice for firefighters:

Wet or damp material may start to decompose and release heat causing any nearby combustibles to catch fire. If containers begin to discolor or vent violently, emergency responders should evacuate area.

Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

#### 6 Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid formation of dust.

Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015 Reviewed on 10/12/2015

#### Trade name: High Suds Laundry Detergent G40 w/Color Safe Bleach M-6548

#### • Methods and material for containment and cleaning up:

Powder and fragments should be cleaned up using a method that will avoid the generation of dust in the workplace atmosphere. The use of a vacuum cleaner fitted with an exhaust air filter fine enough to trap the dust is recommended.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

#### Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- · Handling
- Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

- Information about protection against explosions and fires: Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities:

Store away from strong acids, strong bases, strong reducing agents, and strong oxidizing agents.

- · Storage
- Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · **Specific end use(s):** No further relevant information available.

## 8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015 Reviewed on 10/12/2015

#### Trade name: High Suds Laundry Detergent G40 w/Color Safe Bleach M-6548

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

· Body protection: Not required.

## 9 Physical and Chemical Properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder
Color: White
Odor: Lemon scent
Odor threshold: Not determined.

· pH-value (10 g/l) @ 20 °C (68 °F): 11.0-11.5

Change in condition

Melting point/Melting range: Not determined.

Boiling point/Boiling range: 1461 °C (2662 °F)

· Flash point: None

Flammability (solid, gaseous): Not determined.
 Ignition temperature: > 115 °C (> 239 °F)
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

(Contd. on page 6)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015 Reviewed on 10/12/2015

### Trade name: High Suds Laundry Detergent G40 w/Color Safe Bleach M-6548

· Vapor pressure: Not applicable.

· Density:

Relative density:Not determined.Vapor density:Not applicable.Evaporation rate:Not applicable.

· Solubility in / Miscibility with:

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

· Solvent content:

Organic solvents: 0.0 % Solids content: 94.7 %

• Other information: No further relevant information available.

### 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: Strong acids, strong bases, strong reducing agents, and strong oxidizing agents.
- Hazardous decomposition products:

Oxides of Carbon, Nitrogen (NOx), Silicon, Phosphorous and Sodium and Hydrochloric acid gas.

## 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

· LD/LC50 v	· LD/LC50 values that are relevant for classification:					
7647-14-5	7647-14-5 Sodium Chloride					
Oral LD	50 3000 mg/kg (rat)					
Dermal LD	50 >10000 mg/kg (rabbit)					
6834-92-0	Disodium Metasilicate					
Oral LD	50   1280 mg/kg (rat)					
7758-29-4	Sodium Tripolyphosphate					
Oral LD	50 3900 mg/kg (rat)					
68411-30-3 Benzenesulfonic acid, C10-C13 alkyl derivs., sodium salts						
Oral LD	50   1020 mg/kg (rat)					
Oral LD 7758-29-49 Oral LD 68411-30-3	50   1280 mg/kg (rat)  Sodium Tripolyphosphate  50   3900 mg/kg (rat)  Benzenesulfonic acid, C10-C13 alkyl derivs., sodium salts					

- · Primary irritant effect:
- On the skin: Strong caustic effect on skin and mucous membranes.
- On the eve:

Strong irritant with the danger of severe eye injury.

Corrosive effect.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015 Reviewed on 10/12/2015

#### Trade name: High Suds Laundry Detergent G40 w/Color Safe Bleach M-6548

#### · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories:

#### IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

None of the ingredients are listed.

#### · NTP (National Toxicology Program):

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

## 12 Ecological Information

· Toxicity:

•	Aq	lua	tic	tc	XIC	city:	
			4 4	_	_		

## 7647-14-5 Sodium Chloride

EC50 1661 mg/l (Water flea)

#### 6834-92-0 Disodium Metasilicate

EC50 247 mg/l (Water flea)

## 68411-30-3 Benzenesulfonic acid, C10-C13 alkyl derivs., sodium salts

EC50 29 mg/l (Green algae)

2.9 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

(Contd. on page 8)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015 Reviewed on 10/12/2015

Trade name: High Suds Laundry Detergent G40 w/Color Safe Bleach M-6548

## 13 Disposal Considerations

- · Waste treatment methods:
- Recommendation:

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings:
- Recommendation:

Dispose of as unused product.

Disposal must be made according to official regulations.

## 14 Transport Information

· UN-Number:

· DOT, ADR, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· **DOT, ADR, IMDG, IATA** Non-Regulated Material

• Environmental hazards: Not applicable. • Special precautions for user: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

### 15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):

Section 355 (extremely hazardous substances):
---

None of the ingredients are listed.

#### · Section 313 (Specific toxic chemical listings):

7758-29-4 | Sodium Tripolyphosphate

### · TSCA (Toxic Substances Control Act):

497-19-8	Sodium carbonate
	Sodium percarbonate

7647-14-5 Sodium Chloride

6834-92-0 Disodium Metasilicate

7758-29-4 Sodium Tripolyphosphate

127087-87-0 Poly(oxy-1,2-ethanediyl), alpha-(4- 4 – 8% nonylphenyl)-omega-hydroxy-, branched

9004-32-4 Carboxymethyl cellulose sodium

· California Proposition 65:

#### · Chemicals known to cause cancer:

None of the ingredients are listed.

(Contd. on page 9)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015 Reviewed on 10/12/2015

#### Trade name: High Suds Laundry Detergent G40 w/Color Safe Bleach M-6548

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories:

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS05 GHS07

· Signal word: Danger

· Hazard-determining components of labeling:

Sodium percarbonate

Disodium Metasilicate

Sodium Chloride

Poly(oxy-1,2-ethanediyl), alpha-(4- 4 – 8% nonylphenyl)-omega-hydroxy-, branched

Benzenesulfonic acid, C10-C13 alkyl derivs., sodium salts

· Hazard statements:

Causes severe skin burns and eye damage.

May cause respiratory irritation.

#### · Precautionary statements:

Do not breathe dusts or mists.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection / face protection.

Wash thoroughly after handling.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015 Reviewed on 10/12/2015

#### Trade name: High Suds Laundry Detergent G40 w/Color Safe Bleach M-6548

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· State Right to Know	:	
CAS: 7647-14-5 RTECS: VZ4725000	Sodium Chloride  • STOT SE 3, H335	Proprietary%
CAS: 497-19-8	Sodium carbonate  © Eye Irrit. 2, H319	Proprietary%
	Sodium percarbonate  ♦ Ox. Sol. 2, H272; ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; STOSE 3, H335	Proprietary%
CAS: 6834-92-0	Disodium Metasilicate  ♦ Skin Corr. 1B, H314; ♦ STOT SE 3, H335	Proprietary%
CAS: 7758-29-4	Sodium Tripolyphosphate  • Acute Tox. 4, H332	Proprietary%
CAS: 127087-87-0 RTECS: WZ4750000	Poly(oxy-1,2-ethanediyl), alpha-(4- 4 − 8% nonylphenyl)-omegahydroxy-, branched	Proprietary%
All ingredients are list	ed.	

<sup>·</sup> Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision: 10/12/2015 / -
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

\* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106