Safety Data Sheet BISM Quixsilver

01	Chemical Product and Company Identification	Product Name Product Use Product Code For Medical Emergency Manufactured for	Blind Indu		of Maryland		
02	Hazards Identification	GHS Classification: 1. Skin - Category 2 GHS Label Element: 2. Eyes - Category 2 Signal Word: Warning Hazarad Statement: Causes skin irritation, causes serious eye damage. Precautionary Statements: Wear protective gloves and eye protection. Wash thoroughly after handling.					
		Acute Effects Eyes: Causes serious eye damage. Skin: Causes skin irritation. Inhalation: May cause irritation to respiratory tract. Ingestion: May be irritating to the mouth, throat and gastrointestinal system. Symptoms may include nausea, vomiting, diarrhea and cramps. Chronic Effects Carcinogenicity: No known critical effets or citical hazards. Product /Ingredient Name: Not available.					
03	Composition/ Information on Ingredients	Name of Hazardous Ingra Trisodium Phosphate Disodium Trioxosilicate Sodium Carbonate Polyacrylic Acid, Sodium Sal Alcohols, C6-10, Ethoxylated	lt	CAS No. 7601-54-9 6834-92-0 497-19-8 68479-09-4 68987-81-5	WT.% 25-35 20-30 20-30 1-5 1-5		
04	First Aid Measures	 Eye Contact: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately. Skin Contact: Wash with plenty of water for at least 15 minutes. Get medical attention if symptoms persists or develops. Inhalation: Remove to fresh air. Get medical attention if symptoms occur. Ingestion: Do not induce vomiting. Drink copius amounts of water. Get medical attention if symptoms occur. 					
05	Fire Fighting Measures	Suitable Fire Extinguishing Media: Use water spray, fog or foam Specific Hazards Arising from the Chemical: Not flammable or combustible. Hazardous Thermal Decomposition Products: Carbon oxides, phophorus oxides, hydrogen. Specific Fire-Fighting Methods: None Specific Protective Equipement for Fire-Fighters: None					
06	Accidental Release Measures	Spill Clean Up: Move Con disposal container. Dispose of			aterial and place in an appropriate wast r.		

		Safety Data Shee	t				
		BISM Quixsilver	Page: 2 of 3				
07	Handling and Storage	Handling: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Wash thoroughly after handling.					
		Storage: Store between the following temperatures: 4.44 to 48.9°C (40 to 120°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers. Keep out of the reach of children.					
08	Exposure Controls/ Personal	Trisodium Phosphate C	<mark>xposure Limits</mark> ISHA AIHA 5 mg/m³ ISHA PEL TWA 10 mg/m³, Form :Dust				
	Protection	Personal Protective Equipment (PPE)					
		 Eyes: Safety glasses, splash goggles. Skin: Wear appropriate protective clothing to prevent skin contact. Wear apron or overall if there is a risk of exposure to spills. Body: For prolonged or repeated handling, use gloves. Nitrile gloves. Rubber gloves. Neoprene gloves. Respiratory: Use with adequate ventilation. A respirator is not needed under normal and intended conditions of product use. 					
09	Physical and Chemical Properties	Physical State Color Odor	Cast Solid Green Bland 11.0.11.5 (106 colution)				
		pH Flash point Explosion limits	11.0-11.5 (1% solution) None Not available				
		Flammability (solid, gas) Melting point Boiling point	Not available Not available Not available				
		Evaporation rate (butyl acetate = Vapor pressure					
		Vapor density Relative density	Not available 79 lb./ft ³				
		Solubility Partition coefficient n-octano/wat Auto-ignition temperature	Easily soluble in the following materials: hot wa	ater			
		Decompostion temperature Odor threshold Viscosity	Not available Not available Not available				
	Stability and Reactivity	Stability: The product is stable. Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur. Conditions to avoid: Heat, flames, ignition sources. Materials to avoid: Strong acids. Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition should not be produced.					

Safety Data Sheet BISM Quixsilver

11 Toxicological Information	Product /Ingredient Name Trisodium Phosphate Disodium Trioxosilicate Sodium Carbonate Polyacrylic Acid, Sodium Salt Alcohols, C6-10, Ethoxylated Propo	Result LD50 Oral LD50 Oral LD50 Oral LD50 Oral xylated LD50 Oral	Species Rat Rat Rat Rat Rat	Dose 7400 mg/kg 1500-3200 gm/kg 4090 mg/kg > 5000 mg/kg 2000-5000 mg/kg
12 Ecological Information	N/A			
13 Disposal Considerations	Waste Information Waste must be disposed of in ac Consult your local or regional auth			nmental control regulations.
14 Transport Information		not regulated most package sizes. For sp	r Shipping Name	Classes PG* Label - classifications or size
15 Regulatory Information	U.S. Federal Regulations TSCA 8(b) inventory: All compor SARA 302/304/311/312 extrem SARA 302/304 emergency plan SARA 313 Form R-Reporting requirements	ely hazardous substan	ces: No listed substa	ance Concentration
16 Other Information	To the best of our knowledge, the in the above named supplier nor any c accuracy of completeness of the inf Final determination of suitability o materials may present unknown ha hazards are described herein, we ca Date of Issue: 02/13/2017	of its subsidiaries assumes a ormation contained herein of any material is the sole zards and should be used v	any liability whatsoev responsibility of the with caution. Althoug	rer for the System (HDS): e user. All gh certain Flammability 0

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.